

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2851	375/341	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:26
L3	161	369/53.16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:27
L5	275	369/59.22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:27
L6	3799	369/275.3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:27
L7	796	714/794	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L8	1245	714/795	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L9	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29

EAST Search History

L10	93	"1 channel clock"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L11	440	"partial-response" and viterbi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L12	0	L11 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L13	1	(differential with (second adj ("partial-response" or (partial adj response)))) and viterbi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L14	2	"4571734".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L15	17	(second adj ("partial-response" or (partial adj response))) and viterbi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L16	1	L15 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29

EAST Search History

L17	159	"one channel clock"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L18	0	L15 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L19	269	(second with ("partial-response" or (partial adj response))) and viterbi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:36
L20	8	L19 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L21	13	L19 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L22	0	L11 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29
L23	1	"10/610931"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:29

EAST Search History

L24	333	(second with ("partial-response" or (partial adj response))) and (viterbi or (maximum adj likelihood))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L25	71	1 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L27	4	3 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L28	34	5 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L29	10	6 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L30	19	7 and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L31	20	(second near ("partial-response" or (partial adj response))) and (viterbi or (maximum adj likelihood))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:55

EAST Search History

L32	4	1 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L33	6	5 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:47
L34	0	6 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L35	2	7 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:46
L36	0	3 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:39
L37	2	"5784415".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:55
L38	2	"7002889".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:56

EAST Search History

L39	2	"5961658".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:56
L40	2	"5926490".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:58
L41	2	"7027247".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 08:59
L42	13	"second partial response" and "maximum likelihood"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:04
L43	2	"6185256".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 09:31
L44	10268	system adj noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 09:31
L45	6	24 and 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 09:31

EAST Search History

L46	2	("second partial response" and "maximum likelihood").clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:04
-----	---	---	--	----	----	------------------

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"second partial response" "maximum likelihood"

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 9 of 9 for "[second partial response](#)" "[maximum likelihood](#)". (0.48 seconds)

Tip: Try removing quotes from your search to get more results.

[Adaptive noise-predictive partial-response equalization for ...](#)

375/341 , **Maximum likelihood** decoder or viterbi decoder 360/65 ... said apparatus being made adaptive by means of a **second partial-response** filter (39; ...
www.patentstorm.us/patents/5784415-claims.html - 22k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Data reproduction method and apparatus - US Patent 7002889](#)

369/59.22 , By interpolating or **maximum likelihood** detecting 369/124.13 ... Viterbi detection unit to provide a **second partial response** signal with a second ...
www.patentstorm.us/patents/7002889-claims.html - 20k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.patentstorm.us](#)]

[Data reproduction method and apparatus - Patent 7002889](#)

In a conventional partial response **maximum likelihood** (PRML) technique, ... the Viterbi detection unit provides a **second partial response** signal with a ...
www.freepatentsonline.com/7002889.html - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)

[Adaptive noise-predictive partial-response equalization for ...](#)

said apparatus being made adaptive by means of a **second partial-response** filter (39 ... A partial response **maximum likelihood** (PRML) system for the magnetic ...
www.freepatentsonline.com/5784415.html - 54k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.freepatentsonline.com](#)]

[\[PDF\] "Transmission over Dispersive Channels". In: Algorithms for ...](#)

File Format: PDF/Adobe Acrobat

are listed; in the **second, partial response** systems are introduced. ... by symbol basis, is represented by **maximum likelihood** sequence detection by the ...
doi.wiley.com/10.1002/0470855509.ch7 - [Similar pages](#) - [Note this](#)

[PR4 equalization and an EPR4 remod/demod sequence detector in a ...](#)

(a) the first partial response is PR4 and the **second partial response** is EPR4; and ... typically employs: a conventional trellis type **maximum likelihood** ...
www.patentmonkey.com/PM/PatentID/5961658.aspx - 152k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

[Sampled amplitude read channel employing a remod/demod sequence ...](#)

... values from a first partial response domain to a **second partial response** domain, ... a conventional trellis type **maximum likelihood** sequence detector, ...
www.patentmonkey.com/PM/PatentID/5926490.aspx - 172k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

[Servo circuit having a synchronous servo channel and method for ...](#)

A new synchronous Partial Response **Maximum Likelihood** (PRML) servo is provided ... with a **second partial-response-maximum-likelihood**-detection algorithm that ...
www.patentgenius.com/patent/7027247.html - 93k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

[Sampled amplitude read channel employing a remod/demod sequence ...](#)

... values from a first partial response domain to a **second partial response** domain, ...

Although trellis sequence detection is "**maximum likelihood**" (or an ...
www.patentgenius.com/patent/5926490.html - 90k - Supplemental Result -
[Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.patentgenius.com](#)]

In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.

If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

"second partial response" "maximum"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"second partial-response" "maximum likelihood" [Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of 10 for "**second partial-response**" "**maximum likelihood**". (0.09 seconds)

Adaptive noise-predictive partial-response equalization for ...

375/341, **Maximum likelihood** decoder or viterbi decoder 360/65 ... said apparatus being made adaptive by means of a **second partial-response** filter (39; ...
www.patentstorm.us/patents/5784415-claims.html - 22k - [Cached](#) - [Similar pages](#) - [Note this](#)

Data reproduction method and apparatus - US Patent 7002889

369/59.22, By interpolating or **maximum likelihood** detecting 369/124.13 ... Viterbi detection unit to provide a **second partial response** signal with a second ...
www.patentstorm.us/patents/7002889-claims.html - 20k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.patentstorm.us](#)]

Data reproduction method and apparatus - Patent 7002889

In a conventional partial response **maximum likelihood** (PRML) technique, ... the Viterbi detection unit provides a **second partial response** signal with a ...
www.freepatentsonline.com/7002889.html - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)

Adaptive noise-predictive partial-response equalization for ...

said apparatus being made adaptive by means of a **second partial-response** filter (39 ... A partial response **maximum likelihood** (PRML) system for the magnetic ...
www.freepatentsonline.com/5784415.html - 54k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.freepatentsonline.com](#)]

[PDF] "Transmission over Dispersive Channels". In: Algorithms for ...

File Format: PDF/Adobe Acrobat
are listed; in the **second, partial response** systems are introduced. ... by symbol basis, is represented by **maximum likelihood** sequence detection by the ...
doi.wiley.com/10.1002/0470855509.ch7 - [Similar pages](#) - [Note this](#)

PR4 equalization and an EPR4 remod/demod sequence detector in a ...

(a) the first partial response is PR4 and the **second partial response** is EPR4; and ... typically employs: a conventional trellis type **maximum likelihood** ...
www.patentmonkey.com/PM/PatentID/5961658.aspx - 152k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

Sampled amplitude read channel employing a remod/demod sequence ...

... values from a first partial response domain to a **second partial response** domain, ... a conventional trellis type **maximum likelihood** sequence detector, ...
www.patentmonkey.com/PM/PatentID/5926490.aspx - 172k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

Servo circuit having a synchronous servo channel and method for ...

A new synchronous Partial Response **Maximum Likelihood** (PRML) servo is provided ... with a **second partial-response-maximum-likelihood-detection** algorithm that ...
www.patentgenius.com/patent/7027247.html - 93k - Supplemental Result - [Cached](#) - [Similar pages](#) - [Note this](#)

Sampled amplitude read channel employing a remod/demod sequence ...

... values from a first partial response domain to a **second partial response** domain, ... Although trellis sequence detection is "**maximum likelihood**" (or an ...
www.patentgenius.com/patent/5926490.html - 90k - Supplemental Result -

[Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.patentgenius.com](#)]

Recording medium failure analysis apparatus and method - Patent ...
... represented by Peak Detect systems, is believed to have reached its limits, the **second-Partial-Response, Maximum Likelihood (PRML)**—is currently seen as ...
69.64.183.131/6442730.html - 123k - Supplemental Result -
[Cached](#) - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.
If you like, you can repeat the search with the omitted results included.

Download [Google Pack](#): free essential software for your PC

"second partial-response" "maximum"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

Basic Search

[Advanced Search](#) [Search Preferences](#)

"second partial response" AND "maximum likelihood"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"second partial response" AND "maximum likelihood"




Found:: :8 total | 0 journal results | 8 preferred web results | 0 other web results

Sort by:: :relevance | [date](#)

Save checked results

Email checked results

Export checked results

- ☐ 1. Recording medium failure analysis apparatus and method
Schachner, Joseph M. / Salant, Lawrence S. / Bradick, John / Max, David P. / Lavanchy, Didier Jean-Daniel, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Aug 2002
A technique for analyzing a signal received from a recording medium. An input signal is received from the recording medium and analyzed in order to determine the location of errors within the input signal. The portion of the input signal determined to ...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 2. RECORDING MEDIUM FAILURE ANALYSIS APPARATUS AND METHOD
SCHACHNER, JOSEPH M. / SALANT, LAWRENCE S. / BRADICK, JOHN / MAX, DAVID P. / LAVANCHY, DIDIER JEAN-DANIEL, UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Apr 2002
A technique for analyzing a signal received from a recording medium. An input signal is received from the recording medium and analyzed in order to determine the location of errors within the input signal. The portion of the input signal determined to ...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 3. Data reproduction method and apparatus
Taguchi, Masakazu / Fujiwara, Toru, UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Sep 2001
...The Viterbi detector 100 performs **maximum likelihood** sequence estimation of the sequence...reproduction based on the partial response **maximum likelihood** (PRML) technique that combines the...Viterbi detector 100 performs the **maximum likelihood** sequence estimation of the sequence...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 4. DISK DRIVE FAILURE ANALYSIS APPARATUS AND METHOD
SCHACHNER, Joseph M. / SALANT, Lawrence S. / BRADICK, John / MAX, David

Re
us
fol
dis
Or
Al

F

P. / LAVANCHY, Didier J., PATENT COOPERATION TREATY APPLICATION, Jul 1998
...reached its limits, the **second -Partial-Response, Maximum Likelihood (PRML)** - is currently...and sophisticated **Maximum Likelihood** detector as well...subsequent samples, a ML (**Maximum Likelihood**) detector, such as...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

- ☐ 5. [PR4 equalization and an EPR4 remod/demod sequence detector in a sampled amplitude read channel](#)

Reed, David E. / Bliss, William G. / Sundell, Lisa C., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Oct 1999

...invention employs partial response (PR) equalization and **maximum likelihood (ML)** sequence detection (e.g., Viterbi sequence detection...shown in FIG. 3B. Although trellis sequence detection is "**maximum likelihood**" (or an approximation thereof depending on how the equalizers...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

- ☐ 6. [ADAPTIVE NOISE-PREDICTIVE PARTIAL-RESPONSE EQUALIZATION FOR CHANNELS WITH SPECTRAL NULLS](#)

CHEVILLAT, Pierre / ELEFThERIOU, Evangelos / MAIWALD, Dietrich, EUROPEAN PATENT, Apr 1996

...equalization followed by Viterbi detection is an alternative to DFE and symbol-by-symbol detection. A partial response **maximum likelihood (PRML)** system for the magnetic recording channel has been described in "A PRML System for Digital Magnetic Recording...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

- ☐ 7. [Adaptive noise-predictive partial-response equalization for channels with spectral nulls](#)

Chevillat, Pierre / Eleftheriou, Evangelos / Maiwald, Dietrich, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jul 1998

...equalization followed by Viterbi detection is an alternative to DFE and symbol-by-symbol detection. A partial response **maximum likelihood (PRML)** system for the magnetic recording channel has been described in "A PRML System for Digital Magnetic Recording...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

- ☐ 8. [ADAPTIVE NOISE-PREDICTIVE PARTIAL-RESPONSE EQUALIZATION FOR CHANNELS WITH SPECTRAL NULLS](#)

CHEVILLAT, Pierre / ELEFThERIOU, Evangelos / MAIWALD, Dietrich, PATENT COOPERATION TREATY APPLICATION, Dec 1994

...equalization followed by Viterbi detection is an alternative to DFE and symbol-by-symbol detection. A partial response **maximum likelihood (PRML)** system for the magnetic recording channel has been described in "A PRML System for Digital Magnetic Recording...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

 fast

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2007


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((second partial response<in>metadata)) <and> (pyr >= 1950 <and> pyr <= ..."

☒ e-mail

Your search matched 4 of 1546007 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. Improved Methods of Accelerating the Convergence of Adaptive Equalize Response Signals
Bingham, J.;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 35, Issue 3, Mar 1987 Page(s):257 - 260
[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. Reduced-state sequence estimation with set partitioning and decision feedback equalization
Eyuboglu, M.V.; Qureshi, S.U.H.;
[Communications, IEEE Transactions on](#)
Volume 36, Issue 1, Jan. 1988 Page(s):13 - 20
Digital Object Identifier 10.1109/26.2724
[AbstractPlus](#) | Full Text: [PDF](#)(748 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. Impact of amplitude asymmetry on partial response (PR4 and EPR4) channel equalization
Stupp, S.E.;
[Magnetic, IEEE Transactions on](#)
Volume 35, Issue 5, Part 1, Sept. 1999 Page(s):2313 - 2315
Digital Object Identifier 10.1109/20.800810
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(260 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. On the performance of symbol- and fractionally-spaced equalization in digital recording
Thapar, H.K.; Ziperovich, P.A.; Wood, R.W.;
[Video, Audio and Data Recording, 1990., Eighth International Conference on](#)
24-26 Apr 1990 Page(s):168 - 175
[AbstractPlus](#) | Full Text: [PDF](#)(412 KB) IET CNF

 Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & .](#)

© Copyright 2006 IEEE -